



NEXUS 10124 Antistat

Reduces the surface resistivity and static decay and static decay times in LDPE, LLDPE, HDPE and PP extruded and molded products

Nexus 10124 antistat is an effective non-ionic antistatic concentrate for polyolefins designed to pass NFPA 99 12-4.1.3.8 and mil-b-81705b static decay and surface resistivity. This concentrate is specifically formulated to reduce migration and control mobility of the additive(s). 10124 is designed to insure uniform dispersion throughout the polymer and offers superior printability and sealability to other types of antistats. 10124 is commonly used for applications where short static decay times in low humidity conditions are required including critical packaging and in line processing.

Typical Properties

Base Resin	Polyolefin
Antistatic Additive(s)	5% non-amine
Pellet Cut	Underwater cut

FDA status:

10124 meets FDA title 21 178.3130 requirements for PE at use levels up to 10%.

Nexus Resin Group, LLC has no control over the use to which others may put this material. Nexus Resin Group, LLC does not guarantee that the same results as described will be obtained by the end user. Nexus Resin Group, LLC does not guarantee the effectiveness or safety of any material for the design or the suitability of the material nor the designs of both for the end user's own particular use. Statements concerning possible or suggested uses of the materials or designs described herein are not to be construed as recommendations for use of such materials or designs.

Nexus Resin Group, LLC
37 Water Street Mystic, CT 06355
860-536-1550 Office 860-536-1275 Fax